

DRICE – Office Action

piston power obtained from vehicle inertia, and store it in compressed air storage reservoir for alternate use.

9. A dynamically re-configurable internal combustion engine as in claim 5 further comprising engine boost power mode wherein a computer controls cylinder unit component states to meter compressed air quantity and to meter fuel quantity into cylinder unit at programmable air-fuel mixture levels for power stroke.
10. A dynamically re-configurable internal combustion engine as in claim 5 further comprising engine compressed air idle mode for maintaining engine crankshaft rotation through admittance of compressed air into volume expanding cylinder unit in accordance with compressed air idle mode logic and computer program logic execution responsive to engine speed and crankshaft position.
11. A dynamically re-configurable internal combustion engine as in claim 5 further comprising mixed mode operation wherein one or more cylinder units operate in a mode different from but in concert with, one or more alternate engine cylinder units, by electronically controlling cylinder unit component states in accordance with programmed mode logic responsive to engine speed and crankshaft position.

2. Claim 1 Rejection - 35 USC § 102

Anticipated by Angermaier (US 5,613,473) *Method of Identifying the Stroke Positions in an Internal Combustion Engine* (ICE). While we identify the stroke positions in an ICE, we do not do it in the way taught/claimed in '473, as the engines have different components which are sensed and controlled differently. Additionally, our invention is not solely the identification of the stroke position as in '473, but the use of such information in re-configuring an ICE dynamically. Angermaier teaches a method for identifying stroke positions of a 1) a four-stroke internal combustion engine with an even number of cylinders; we do not constrain to a four-stroke ICE nor we constrain to an even number of cylinders; 2) synchronizing sequential fuel injection or ignition distribution to the cylinders, as a function of signals of a crankshaft sensor, wherein pistons of two cylinders each having the same position and direction of motion always form one group; we do not group cylinders, in fact we claim the cylinder units are operated

DRICE – Office Action

independently of each other allowing us to reconfigure each cylinder unit without a cylinder bank or cylinder group constraint, a limitation of all cam engines 3) defining a predetermined engine condition as one at which a starting operation has been ended and the engine is not subject to dynamic rpm changes; we sense engine conditions while the engine is subject to dynamic rpm changes so that we can reconfigure the engine dynamically, and 4) detecting a combustion that has not occurred if an acceleration value of the crankshaft is less than a predetermined limit value; we do not use predetermined crankshaft acceleration values to determine engine control characteristics. 5) Angermaier is predicated on a fixed firing order and a camshaft ICE, we teach against such constraints to enable dynamically reconfigurability. 6) Angermaier teaches determination based on a camshaft signal, we have neither camshaft nor camshaft signal. Angermair also teaches “because of the crankshaft position alone, the correct cylinder cannot be determined exactly, since at a particular crankshaft position, either cylinder I or cylinder IV should be ignited or supplied with fuel.” We teach that with crankshaft sensor, electronically controlled valves and programmable control logic, we can know cylinder states without a camshaft or combustion synchronicity. 7) Angermair teaches nothing regarding smart, adaptive computer reprogrammable logic which can be programmed to switch dynamically, based on sensor signals, we do. 8) Angermair teaches nothing about electronically controlled valves, which make it possible not only to actuate them at anytime in the power or other cycle, but also to know when they have last been actuated, easily identifying stroke sequences in that manner.

3. Claim 1 Obviousness Rejections - 35 USC § 103

Angermaier, '473, in view of Ahrens (US 4,281,256). Angermaier claims a method of identifying stroke positions once a combustion in a cylinder group has occurred, “not subject to RPM changes” and coupling cylinder units for synchronicity. We are teaching precisely the opposite, combustion is not necessary, cylinder units must be subject to RPM changes and cylinder units are controlled and act independently, enabling dynamic reconfiguration. Ahrens teaches an ICE which acts as a compressor, compressing air into an air storage reservoir. However, that compressed air in Ahrens is used to drive a generator through expansion through a High Pressure (HP) and Low Pressure (LP) turbine. The compressor and the expanders are separate and different elements. This is done in Ahrens for the purpose of generating electrical power. Thus the energy stored from compressed air is used to generate electrical power, we generate mechanical power and from compressed air. We also teach that stored air acts as a


DRICE – Office Action

source of enriched oxygen, a source for combustive or chemical power. Furthermore, Ahrens uses the stored compressed air as an energy storage device, but the function and purpose to generate electrical power, not motor propulsion or enriched mixture for higher power combustion.

Angermaier in view of Ahrens produces an engine that must be stopped before changing modes, synchronized by coupling 2 cylinder banks which depend on a combustion signal, we do not. Discounting the turbine and expander components, to one skilled in the art Angermaier in view of Ahrens at best projects an internal combustion engine electrical hybrid with motor/generator. We claim an engine that is a type of Air-Hybrid with designed-in booster power.

If any matters can be resolved by telephone, Applicant requests that the Patent and Trademark Office call the Applicant at the telephone number listed below.

Respectfully submitted,

By: 
Walt Froloff

Walt Froloff
Co-Inventor
273D Searidge Rd
Aptos, CA 95003
(831) 662-0505